Matériel

- Hardware - Connectique série & LTP
- Hardware - Layout claviers
- Hardware - Tensions PSU molex

Hardware - Connectique série & LTP

DB9 to DB9



DB25 to DB25


DB-25 to DB-25
LPT Direct Connect Cable
Signal Name
DB-25 PIN
DB-25 PIN
Signal Name
bit 0 2 2 bit 0
bit 1 3 3 bit 1
bit 2 4 4 bit 2
bit 3 5 5 bit 3
bit 4 6 6 bit 4
Ack 10 10 Ack
Busy 11 11 Busy
Paper out 12 12 Paper out
Select In 13 13 Select In
Error 15 15 Error
Ground 25 25 Ground
metal body
metal body
Only pin connections which are used are connected. This cable is used for all computers and provides maximum compatibility.
If you wish to achieve maximum data transfer rates, you must make sure the LPT port is set to EPP/ECP through the computer BIOS

DB9 to DB25



PC DB9 Female		X68000 DB25 Male	
Signal	Pin	Signal	Pin
DCD	1	RTS + CTS	4 + 5
RD	2	TD	2
TD	3	RD	3
DTR	4	DSR	6
SGND	5	SGND	7
DSR	6	DTR	20
RTS + CTS	7 + 8	DCD	8

RJ45 to DB9



Hardware - Layout claviers

Francais - Azerty

Anglais - Qwerty

Allemand - Qwertz

Hardware - Tensions PSU molex